





Cryoglobulinemia Diagnosed by Peripheral Smear Examination: Value of a Basic **Underestimated Test**

Preethi Muthusamy Sundar¹ Sakthisankari Shanmugasundaram¹ Santni Manickam²

| Lab Physicians 2023;15:470-471.

Address for correspondence Sakthisankari Shanmugasundaram, MD, Department of Pathology, PSG Institute of Medical Sciences and Research, Peelamedu, Coimbatore, Tamil Nadu, 641004, India (e-mail: sakthissankari@gmail.com).

A 58-year-old female with a history of vasculitis presented to the hospital with sudden onset hemoptysis, ulceration over bilateral lower limbs, and low-grade intermittent fever. Computed tomographic scan of chest revealed pulmonary hemorrhage. Investigations showed a hemoglobin of 5.8 g/dL, pseudoleukocytosis $(46 \times 10^3/\mu L)$, and platelet count of $483 \times 10^3 / \mu L$. Examination of the Leishman-stained peripheral smear showed blue background with grossly visible agglutinates (>Fig. 1A) and a normal total white

blood cell count. Pseudoleukocytosis could have been the result of counting of precipitated cryoglobulin deposits as leukocytes by the automated cell counter.¹

Basophilic to faint eosinophilic amorphous globular and granular deposits in the background (Fig. 1B and inset) and intracytoplasmic vacuoles within the neutrophils (>Fig. 1C) were observed suggestive of cryoglobulin precipitates. Qualitative determination of cryoglobulin was positive-cryoglobulin deposits at 4°C (Fig. 2A) and




Fig. 1 (A) Peripheral smear showing a blue background and visible agglutinates. (B) Basophilic amorphous globular deposits in the background. (C) Intracytoplasmic faint basophilic deposits within neutrophils.

article published online October 20, 2022

DOI https://doi.org/ 10.1055/s-0042-1757420. ISSN 0974-2727.

© 2022. The Indian Association of Laboratory Physicians. All rights reserved

This is an open access article published by Thieme under the terms of the Creative Commons Attribution-NonDerivative-NonCommercial-License. permitting copying and reproduction so long as the original work is given appropriate credit. Contents may not be used for commercial purposes, or adapted, remixed, transformed or built upon. (https://creativecommons.org/ licenses/by-nc-nd/4.0/)

Thieme Medical and Scientific Publishers Pvt. Ltd., A-12, 2nd Floor, Sector 2, Noida-201301 UP, India

¹Department of Pathology, PSG Institute of Medical Sciences and Research, Coimbatore, Tamil Nadu, India

²Department of Medicine, PSG Institute of Medical Sciences and Research, Coimbatore, Tamil Nadu, India




Fig. 2 (A) Qualitative test for cryoglobulin showing cryoglobulin deposits in the patient's serum at 4°C. (B) Disappearance of the deposits after warming at 37°C.

absence of deposits at 37°C (**Fig. 2B**). Further workup showed elevated serum cryoglobulin (880.8 mg/L), low C3 (109.10 mg/dL), near-normal C4 (3.02 mg/dL), and antineutrophil cytoplasmic antibodies—proteinase 3 positive, supporting the diagnosis. She was negative for hepatitis C virus, hepatitis B virus, and human immunodeficiency virus. Renal function tests revealed elevated urea (112 mg/dL) and creatinine (6.32 mg/dL) levels. The patient improved following treatment with steroids, cyclophosphamide, and plasmapheresis.

Cryoglobulin deposits on peripheral smear serving as an initial manifestation of the underlying disease process have been reported previously.^{2–4}

The purpose of this case is to remind the importance of manual screening of peripheral smears in an era of automation. Findings, as observed in our case, can pave the way for early identification and treatment of clinically unsuspected cases.

Informed Consent
Waiver of consent has been obtained.

Ethical Approval Obtained.

Conflict of Interest None declared.

References

- 1 Qian X, Ling Y, Wang L, Liang H, Wang H. Remarkable pseudo-leucocytosis induced by mild cryoglobulinemia. Clin Chem Lab Med 2020;58(11):e291-e293
- 2 Lesesve JF. Cryoglobulin deposits on a blood smear. Blood 2012; 120(09):1764. Doi: 10.1182/blood-2012-01-398198
- 3 Kumar N, Das R, Chandra D, Malhotra P. Cryoglobulinemia as an initial manifestation of underlying hematological malignancy: a rare occurrence in India. J Lab Physicians 2014;6(02): 127–129
- 4 Wang F, Wang G, Wang X. Cryoglobulin crystals deposited in a peripheral blood film and phagocytosed by neutrophils. Br J Haematol 2021;195(04):484